

# THE PREMIUM COLLECTION

## PRODUCT CATALOG



Made in the USA



Sit Back,  
Relax, and  
Enjoy



# SUPERIOR PRIVACY FENCE

## Superior Specifications

Heights: 48", 60", 72", 84"\*, 96"\*

(84"\*, 96"\* with Aluminum Reinforced Mid-rail)

Width: 8' Sections

11.28" Snap Lock Tongue & Groove Verticals

Aluminum Reinforced Bottom Rail

Heavy Wall 5" Posts (.150" Wall)

Flat Post Caps Standard

7° Rackable Section Optional

(Racks 12" per 8' Sections)

Concave Top Optional (6" Concave)

Convex Top Optional (6" Arch)

Colors: White or Tan

\*Aluminum Stiffeners Required in All Line & End Posts for 84" & 96" Heights.



11.28" Snap Lock  
Tongue & Groove Verticals

## Standard Gates

Single Width: 36", 42", 48", 60", 72"

Double Width: 72", 84", 96", 120", 144"

Aluminum Post Stiffeners: Gate Posts

Aluminum Reinforced Frame

Available in: Concave & Convex

Larger Aluminum Framed Gates Available



60" Concave Superior (White)



72" Straight Superior (White)

Between work, school, and sports, there is little time left to spend with family, friends, and to simply enjoy a beautiful day. By turning your backyard into a beautiful secluded playground, keeping your pool private, or a harmonious retreat to unwind at the end of a long day, our Premium Collection of Privacy Fencing gives back some of your precious time.



72" Convex Superior (Tan)

# MAJESTIC PRIVACY FENCE

## Majestic Specifications

Heights: 48", 60", 72", 84"\*, 96"\*

Width: 8' Sections

11.28" Snap Lock Tongue & Groove Verticals

Aluminum Reinforced Bottom Rail

Heavy Wall 5" Posts (.150" Wall)

Flat Post Caps Standard

7° Rackable Section Optional

(Racks 12" per 8' Sections)

Colors: White or Tan

\*Aluminum Stiffeners Required in ALL Line & End Posts for 84" & 96" Heights.

## Standard Gates

Single Width: 36", 42", 48", 60", 72"

Double Width: 72", 84", 96", 120", 144"

Aluminum Post Stiffeners: Gate Posts

Aluminum Reinforced Frame



72" Majestic (White)

# KINGSTON PRIVACY FENCE



72" Kingston with Sunburst Gate Option (White)



## Kingston Specifications

Heights: 48", 60", 72", 84"\*, 96"\*

Width: 8' Sections

11.28" Snap Lock Tongue & Groove Verticals with 1<sup>3</sup>/<sub>8</sub>"

Square Spindle Accent and

Decorative "Bread Loaf" Top Rail

Aluminum Reinforced Bottom Rail

Heavy Wall 5" Posts (.150" Wall)

Flat Post Caps Standard

7° Rackable Section Optional

(Racks 12" per 8' Sections)

Sunburst Section or Gate Optional

Colors: White or Tan


## Standard Gates

Single Width: 36", 42", 48", 60", 72"

Double Width: 72", 84", 96", 120", 144"

Aluminum Post Stiffeners: Gate Posts

Aluminum Reinforced Frame



72" Kingston (White)



# WESTWOOD

## PRIVACY FENCE

### Westwood Specifications

Heights: 60", 72"

Width: 8' Sections

11.3" Triple Panel Tongue & Groove Verticals

Aluminum Reinforced Bottom Rail

Standard Wall 5" Posts (.130" Wall)

Flat Post Caps Standard

7° Rackable Section Optional

(Racks 12" per 8' Sections)

Colors: White, Tan or Sierra

### Standard Gates

Single Width: 36", 42", 48", 60", 72"

Double Width: 72", 84", 96", 120", 144"

Aluminum Post Stiffeners: Gate Posts


Aluminum Reinforced Frame




72" Westwood (White)



72" Westwood (White)




Aluminum Reinforced Bottom Rail



Tongue and Groove Verticals




Woodgrain Texture



White



Tan



Sierra

Colors shown are a representation of the true color.  
Please consult actual samples for colors.



72" Westwood (Sierra)

# IN-GRAINED PRIVACY FENCE

## In-Grained Specifications

Heights: 60", 72"

Width: 8' Sections

7" Tongue & Groove Verticals

Aluminum Reinforced Top and Bottom Rails

Heavy Wall 5" Posts (.170" Wall)

Flat Post Caps Standard

7° Rackable Section Optional

(Racks 12" per 8' Sections)

Colors: Clay or Caramel

## Standard Gates

Single Width: 36", 42", 48", 60", 72"

Double Width: 72", 84", 96", 120", 144"

Aluminum Post Stiffeners: Gate Posts

Aluminum Reinforced Frame



Clay



Caramel



Colors shown are a representation of the true color.  
Please consult actual samples for colors.



By having the look of a wood fence  
without all the maintenance.

"I'm so glad I never have to stain my  
fence again."



72" In-Grained (Caramel)



72" In-Grained (Caramel)



72" In-Grained (Clay)

## PRINCETON SEMI-PRIVACY FENCE



### Princeton Specifications

Heights: 48", 60", 72"

(60" and 72" Heights include Mid-rail with Internal Horizontal Rail Support)

Width: 8' Sections

$\frac{7}{8}$ " x 6" &  $\frac{7}{8}$ " x  $1\frac{1}{2}$ " Alternating Verticals with  $1\frac{1}{16}$ " Spacing Between Verticals

Aluminum Reinforced Bottom Rail

Heavy Wall 5" Posts (.150" Wall)

Flat Post Caps Standard

Colors: White or Tan

### Standard Gates

Single Width: 36", 42", 48", 60", 72"

Double Width: 72", 84", 96", 120", 144"

Aluminum Post Stiffeners: Gate Posts

Aluminum Reinforced Frame



## PRESTIGE SEMI-PRIVACY FENCE



### Prestige Specifications

Heights: 48", 60", 72"

(60" and 72" Heights include Mid-rail with Internal Horizontal Rail Support)

Width: 8' Sections

$\frac{7}{8}$ " Spacing Between Verticals

Aluminum Reinforced Bottom Rail

Heavy Wall 5" Posts (.150" Wall)

Flat Post Caps Standard

Colors: White or Tan

### Standard Gates

Single Width: 36", 42", 48", 60", 72"

Double Width: 72", 84", 96", 120", 144"

Aluminum Post Stiffeners: Gate Posts

Aluminum Reinforced Frame



# DYNASTY

## SEMI-PRIVACY FENCE

### Dynasty Specifications

Heights: 48", 60", 72"

Width: 8' Sections

$\frac{7}{8}$ " Spacing Between Verticals

Aluminum Reinforced Bottom Rail

Heavy Wall 5" Posts (.150" Wall)

Flat Post Caps Standard

Colors: White or Tan

### Standard Gates

Single Width: 36", 42", 48", 60", 72"

Double Width: 72", 84", 96", 120", 144"

Aluminum Post Stiffeners: Gate Posts

Aluminum Reinforced Frame



# REMINGTON PICKET FENCE

## Remington Specifications

Heights: 48", 60", 72"  
 Width: 8' Sections  
 $1\frac{3}{8}$ " x  $1\frac{3}{8}$ " Pickets  
 2" Spacing Between Pickets  
 Aluminum Reinforced Bottom Rail  
 Heavy Wall 5" Posts (.150" Wall)  
 Trim Post Caps Standard  
 Colors: White or Tan

## Standard Gates

Single Width: 36", 42", 48", 60", 72"  
 Double Width: 72", 84", 96", 120", 144"  
 Aluminum Post Stiffeners: Gate Posts  
 Aluminum Reinforced Frame




# ELITE PICKET FENCE

## Elite Specifications

Heights: 36", 42", 48"  
 Width: 6' Sections  
 $1\frac{1}{2}$ " Wide Pickets  
 $1\frac{1}{2}$ " Spacing Between Pickets  
 Heavy Wall 4" Posts (.160" Wall)  
 Aluminum Bottom Rail  
 Gothic Post Caps Standard  
 Straight, Concave, and Convex Styles Standard  
 Colors: White or Tan

## Standard Gates

Single Width: 36", 42", 48", 60", 72"  
 Double Width: 72", 84", 96", 120", 144"  
 Aluminum Post Stiffeners: Gate Posts  
 Aluminum Reinforced Frame  
 Available in: Straight, Concave & Convex



Patented Hidden Picket Attachment  
 For Elite, Supreme, and Sterling Picket Fencing  
 (Internal View)  
 No Unsightly Screws or Cap Plugs



# SUPREME PICKET FENCE

## Supreme Specifications

Heights: 48", 60", 72"

Width: 8' Sections

3" Wide Pickets

1<sup>3</sup>/<sub>4</sub>" Spacing Between Pickets

Heavy Wall 5" Posts (.150" Wall)

Gothic Post Caps Standard

Straight, Concave, and Convex Styles Standard

Colors: White or Tan

## Standard Gates

Single Width: 36", 42", 48", 60", 72"

Double Width: 72", 84", 96", 120", 144"

Aluminum Post Stiffeners: Gate Posts

Aluminum Reinforced Frame

Available in: Straight, Concave & Convex



# STERLING PICKET FENCE

## Sterling Specifications

Heights: 36", 42", 48"

Width: 6' Sections

3" Wide Pickets

1<sup>3</sup>/<sub>4</sub>" Spacing Between Pickets

Heavy Wall 4" Posts (.160" Wall)

Gothic Post Caps Standard

Straight, Concave, and Convex Styles Standard

Colors: White or Tan

## Standard Gates

Single Width: 36", 42", 48", 60", 72"

Double Width: 72", 84", 96", 120", 144"

Aluminum Post Stiffeners: Gate Posts

Aluminum Reinforced Frame

Available in: Straight, Concave & Convex



## NOBLE ORNAMENTAL FENCE

### Noble Specifications

Heights: 36", 42", 48", 60"  
Width: 6' Sections  
3<sup>3</sup>/<sub>8</sub>" Spacing Between Pickets  
Heavy Wall 4" Posts (.160" Wall)  
Aluminum Reinforced Rails  
Gothic Post Caps Standard  
Colors: White or Tan

### Standard Gates

Single Width: 36", 42", 48", 60", 72"  
Double Width: 72", 84", 96", 120", 144"  
Aluminum Post Stiffeners: Gate Posts  
Aluminum Reinforced Frame



60" Noble (White)

## REGAL ORNAMENTAL FENCE

### Regal Specifications

Heights: 36", 42", 48"  
Width: 6' Sections  
3<sup>3</sup>/<sub>8</sub>" Spacing Between Pickets  
Heavy Wall 4" Posts (.160" Wall)  
Aluminum Reinforced Rails  
Gothic Post Caps Standard  
Colors: White or Tan

### Standard Gates

Single Width: 36", 42", 48", 60", 72"  
Double Width: 72", 84", 96", 120", 144"  
Aluminum Post Stiffeners: Gate Posts  
Aluminum Reinforced Frame



42" Regal (White)



Just imagine, watching the children play in the yard, the dog running with them, and you, relaxing on a warm sunny day. These are the good times.

## COLONIAL ORNAMENTAL FENCE

### Colonial Specifications

Heights: 36", 42", 48", 50<sup>1</sup>/<sub>2</sub>"\*, 60", 72"  
(50<sup>1</sup>/<sub>2</sub>", 60", and 72" Heights Include Aluminum Reinforced Bottom Rail)  
(60" and 72" Heights Include Mid-rail)  
Width: 6' Sections  
2<sup>7</sup>/<sub>8</sub>" Spacing Between Pickets  
Heavy Wall 4" Posts (.160" Wall)  
Flat Post Caps Standard  
Colors: White or Tan  
\*50<sup>1</sup>/<sub>2</sub>" Colonial Pool Fence Meets BOCA Requirements for Height & Spacing.

### Standard Gates

Single Width: 36", 42", 48", 60", 72"  
Double Width: 72", 84", 96", 120", 144"  
Aluminum Post Stiffeners: Gate Posts  
Aluminum Reinforced Frame  
Available in: Convex



60" Colonial with Mid-Rail (White)

# DURABLE GATE SYSTEMS



- 1 FEATURE** - Gate perimeter fully reinforced with corrosion resistant aluminum channel.  
**BENEFIT** - Gate stays square.
- 2 FEATURE** - Heavy duty aluminum gate post stiffeners (recommended option).  
**BENEFIT** - Posts remain rigid for accurate gate closure.
- 3 FEATURE** - Adjustable hinge hardware and latch are Verified AAMA 2604 Powder Coated.  
**BENEFIT** - Hinges are corrosion resistant with easy adjustment for accurate alignment.
- 4 FEATURE** - Stainless steel fastener screws used on gate assembly, hinge, and latch hardware.  
**BENEFIT** - Corrosion resistant screws fastened through vinyl and aluminum for positive long-term strength.



Center Post  
Cross-Section

- Factory Designed and Assembled
- Long-term solutions to Traditional Gate Problems
- Structural Integrity is Built into this Gate System



Removable Center Post  
is Recommended on Double Gates



## MORE GREAT VINYL PRODUCTS

Why stop with Fencing? We are proud to offer a complete line of vinyl product solutions. With our five signature styles of PolyRail® Vinyl Railing, or residential and equine friendly Post & Rail Vinyl Fencing, there is sure to be an answer to your outdoor needs. Our PolyRail® Vinyl Fencing even features our new "Green Series" Privacy & Picket Fencing. All of our vinyl products include a transferable lifetime warranty for your peace of mind.

Visit [www.diggerspecialties.com](http://www.diggerspecialties.com) to view more great vinyl product solutions.



POST & RAIL  
VINYL FENCING



Made in the USA

BY SAVING TIME WITH VIRTUALLY MAINTENANCE  
FREE VINYL PRODUCTS AND HAVING A TRANSFERABLE  
LIFETIME WARRANTY, YOU'LL HAVE TIME FOR THOSE  
THINGS MOST IMPORTANT IN YOUR LIFE.



Transferrable Lifetime Warranty

Material Specifications:

Rigid P.V.C. exterior profiles, used for Polyvinyl Fence systems, contain impact modifiers for cold weather and Titanium Dioxide for ultraviolet light resistance. These profiles meet or exceed the specification F-964 established by ASTM.



Made in the USA



[www.diggerspecialties.com](http://www.diggerspecialties.com)



Quality Products By:



D I S T R I B U T E D   B Y :